NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
1	NCR-08-0019	Data Code non conforme ai requisiti di programma (JANTXV1N4466US)	M	1	09/04/2008	N.A.	CGS	21/04/2008	NCR applied to the component
2	NCR-08-0021	Item non conforme ai requisiti di programma (MV1N5806US)	M	1	16/04/2008	N.A.	CGS	23/05/2008	NCR applied to the component
3	NCR-08-0030	Part Number non conformi a DCL (JANTXV1N5811CBUS, MV1N5806US, MS5806US, MV1N4467US)	M	1	12/05/2008	N.A.	CGS	15/05/2008	NCR applied to the component
4	NCR-PDS-CGS-C-001	Electronic Assembly problem p/n: 11-AMS02PDS-600.00 s/n: 01	m	1	25/01/2008	N.A.	CGS	26/05/2008	NCR applied to the board
5	NCR-PDS-CGS-C-002	Electronic Assembly problem p/n: 11-AMS02PDS-600.00 s/n: 02	m	1	25/01/2008	N.A.	CGS	05/06/2008	NCR applied to the board
6	NCR-PDS-CGS-C-003	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 01	m	1	25/01/2008	N.A.	CGS	24/03/2009	NCR applied to the board
7	NCR-PDS-CGS-C-004	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 02	m	1	25/01/2008	N.A.	CGS	10/11/2008	NCR applied to the board
8	NCR-PDS-CGS-C-005	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 03	m	1	25/01/2008	N.A.	CGS	25/03/2009	NCR applied to the board
9	NCR-PDS-CGS-C-006	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 04	m	1	25/01/2008	N.A.	CGS	26/03/2009	NCR applied to the board
10	NCR-PDS-CGS-C-007	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 05	m	1	25/01/2008	N.A.	CGS	11/11/2008	NCR applied to the board
11	NCR-PDS-CGS-C-008	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 06	m	1	25/01/2008	N.A.	CGS	10/11/2008	NCR applied to the board
12	NCR-PDS-CGS-C-009	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 07	m	1	25/01/2008	N.A.	CGS	27/03/2009	NCR applied to the board
13	NCR-PDS-CGS-C-010	Electronic Assembly problem p/n: 11-AMS02PDS-700.00 s/n: 08	m	1	25/01/2008	N.A.	CGS	11/11/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
14	NCR-PDS-CGS-C-011	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/H	m	1	25/01/2008	N.A.	CGS	29/09/2008	NCR applied to the board
15	NCR-PDS-CGS-C-012	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/G	m	1	25/01/2008	N.A.	CGS	29/09/2008	NCR applied to the board
16	NCR-PDS-CGS-C-013	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/F	m	1	25/01/2008	N.A.	CGS	16/07/2008	NCR applied to the board
17	NCR-PDS-CGS-C-014	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/E	m	1	25/01/2008	N.A.	CGS	16/07/2008	NCR applied to the board
18	NCR-PDS-CGS-C-015	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/A	m	1	25/01/2008	N.A.	CGS	01/09/2008	NCR applied to the board
19	NCR-PDS-CGS-C-016	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/B	m	1	25/01/2008	N.A.	CGS	24/07/2008	NCR applied to the board
20	NCR-PDS-CGS-C-017	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/C	m	1	25/01/2008	N.A.	CGS	24/07/2008	NCR applied to the board
21	NCR-PDS-CGS-C-018	Electronic Assembly problem p/n: 11-AMS02PDS-720.00 s/n: 07/018/D	m	1	25/01/2008	N.A.	CGS	11/09/2008	NCR applied to the board
22	NCR-PDS-CGS-C-019	Electronic Assembly problem p/n: 11-AMS02PDS-400.00 s/n: 01	m	1	25/01/2008	N.A.	CGS	03/09/2008	NCR applied to the board
23	NCR-PDS-CGS-C-020	Electronic Assembly problem p/n: 11-AMS02PDS-400.00 s/n: 02	m	1	25/01/2008	N.A.	CGS	02/09/2008	NCR applied to the board
24	NCR-PDS-CGS-C-021	Assembly problem p/n: 11-AMS02PDS-300.00 s/n: 01	m	1	15/02/2008	N.A.	CGS	17/06/2008	NCR applied to the board
25	NCR-PDS-CGS-C-022	Assembly problem p/n: 11-AMS02PDS-300.00 s/n: 02,03,04,05,06,07,08	m	1	15/02/2008	N.A.	CGS	23/07/2008	NCR applied to the board
26	NCR-PDS-CGS-C-023	ESEM 1-A over voltage protection p/n: 11-AMS02PDS-600.00 s/n: 01	m	1	26/02/2008	N.A.	CGS	24/06/2008	NCR applied to the board
27	NCR-PDS-CGS-C-024	Problem on ESEM 1-A power cells controllers p/n: 11-AMS02PDS-600.00 s/n: 01	m	1	22/02/2008	N.A.	CGS	16/07/2009	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
28	NCR-PDS-CGS-C-025	Problem on ESEM 1-A power cells controllers p/n: 11-AMS02PDS-600.00 s/n: 02	m	1	25/02/2008	N.A.	CGS	10/11/2008	NCR applied to the board
29	NCR-PDS-CGS-C-026	PDS MIDWAL REAR1 : Reworking for new bonding I/F p/n: 10-AMS02PDS-000.08 s/n : N.A.	m	1	27/02/2008	N.A.	CGS	29/09/2008	NCR applied to the mechanical part
30	NCR-PDS-CGS-C-027	ESEM 1-A over voltage protection p/n: 11-AMS02PDS-600.00 s/n: 02	m	1	28/02/2008	N.A.	CGS	01/09/2008	NCR applied to the board
31	NCR-PDS-CGS-C-028	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 01	m	1	04/03/2008	N.A.	CGS	14/05/2008	NCR applied to the board
32	NCR-PDS-CGS-C-029	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 02	m	1	05/03/2008	N.A.	CGS	14/05/2008	NCR applied to the board
33	NCR-PDS-CGS-C-030	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 03	m	1	05/03/2008	N.A.	CGS	29/05/2008	NCR applied to the board
34	NCR-PDS-CGS-C-031	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 04	m	1	05/03/2008	N.A.	CGS	04/06/2008	NCR applied to the board
35	NCR-PDS-CGS-C-032	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 05	m	1	05/03/2008	N.A.	CGS	04/06/2008	NCR applied to the board
36	NCR-PDS-CGS-C-033	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 06	m	1	05/03/2008	N.A.	CGS	17/06/2008	NCR applied to the board
37	NCR-PDS-CGS-C-034	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 07	m	1	05/03/2008	N.A.	CGS	17/06/2008	NCR applied to the board
38	NCR-PDS-CGS-C-035	PB2 outlet lines p/n: 11-AMS02PDS-700.00 s/n: 08	m	1	05/03/2008	N.A.	CGS	18/06/2008	NCR applied to the board
39	NCR-PDS-CGS-C-036	Output clock line driver enable control to CAN BUS I/F Board p/n: 11-AMS02PDS-500.00 Rev./ s/n: 01,02	m	1	25/03/2008	N.A.	CGS	16/07/2009	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
40	NCR-PDS-CGS-C-037	Assembly of inductances not clear p/n: 11-AMS02PDS-600.00 s/n: 01,02	m	1	26/03/2008	N.A.	CGS	06/06/2008	NCR applied to the board
41	NCR-PDS-CGS-C-038	DC/DC AUX PCB connection missing p/n: 11-AMS02PDS-740.00 s/n: 07-014 / E	m	1	04/04/2008	N.A.	CGS	29/09/2008	NCR applied to the board
42	NCR-PDS-CGS-C-039	PB2 DC/DC AUX PCB connection missing p/n: 11-AMS02PDS-740.00 s/n: 07-014 / D, 07-014 / B, 07-015 / A , 07-015 / B, 07-016 / A, 07-015 / D, 07-015 / C	m	1	07/04/2008	N.A.	CGS	11/09/2008	NCR applied to the board
43	NCR-PDS-CGS-C-040	ESEM 3A DC-DC AUX PCB connection missing p/n: 11-AMS02PDS-740.00 s/n: 07-014 / F, 07-014 / C, 07-015 / E , 07-016/ E, 07-016 / G, 07-015 / F, 07-015 / G, 07-016 / B	m	1	07/04/2008	N.A.	CGS	01/09/2008	NCR applied to the board
44	NCR-PDS-CGS-C-041	ESEM 3A DC-DC AUX PCB connection missing p/n: 11-AMS02PDS-740.00 s/n: 07-014 / A, 07-014 / G	m	1	07/04/2008	N.A.	CGS	15/09/2008	NCR applied to the board
45	NCR-PDS-CGS-C-042	ESEM 3A DC-DC AUX OVC protection improvement p/n: 11-AMS02PDS-740.00 s/n: 07-014 / F, 07-014 / C, 07-015 / E , 07-016/ E, 07-016 / G, 07-015 / F, 07-015 / G, 07-016 / B	m	1	15/04/2008	N.A.	CGS	01/09/2008	NCR applied to the board
46	NCR-PDS-CGS-C-043	ESEM 3B DC-DC AUX OVC protection improvement p/n: 11-AMS02PDS-740.00 s/n: 07-014 / A, 07-014 / G	m	1	15/04/2008	N.A.	CGS	15/09/2008	NCR applied to the board
47	NCR-PDS-CGS-C-044	PB2 DC/DC AUX OVC protection improvement p/n: 11-AMS02PDS-740.00 s/n: 07-014 / D, 07-014 / B, 07-015 / A , 07-015 / B, 07-016 / A, 07-015 / D, 07-015 / C	m	1	15/04/2008	N.A.	CGS	11/09/2008	NCR applied to the board
48	NCR-PDS-CGS-C-045	PB2 DC/DC AUX s/n: 07-014 / E protection improvement p/n: 11-AMS02PDS-740.00 s/n: 07-014 / E	m	1	15/04/2008	N.A.	CGS	21/07/2008	NCR applied to the board
49	NCR-PDS-CGS-C-046	MOTHERBOARD FRAME : WRONG INFORMATION ON MFG DRAWING p/n: 11-AMS02PDS-100.05 s/n: N.A.	m	1	18/04/2008	N.A.	CGS	21/07/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
50	NCR-PDS-CGS-C-047	REAR PANEL :1) MISSING INFORMATION ON MFG DRAWING; 2)MFG PROCESS p/n: 10-AMS02PDS-100.02 s/n: N.A.	m	1	18/04/2008	N.A.	CGS	17/07/2008	NCR applied to the mechanical part
51	NCR-PDS-CGS-C-048	PB2 Board Bracket conductance optimization p/n: 11-AMS02PDS-700.00 Rev./ s/n:01,02,03,04,05,06,07,08	m	1	28/04/2008	N.A.	CGS	29/09/2008	NCR applied to the board
52	NCR-PDS-CGS-C-049	ESEM 3-A U22 isolation p/n: 11-AMS02PDS-300.00 Rev./ s/n:01,02,03,04,05,06,07,08	m	1	30/04/2008	N.A.	CGS	23/07/2008	NCR applied to the board
53	NCR-PDS-CGS-C-050	Electronic Components Assembly problem p/n: 11-AMS02PDS-200.00 Rev. / s/n:01, 02	m	1	05/05/2008	N.A.	CGS	26/09/2008	NCR applied to the board
54	NCR-PDS-CGS-C-051	CAN BUS OVC protection improvement p/n: 11-AMS02PDS-500.00 s/n: 01, 02	m	1	13/05/2008	N.A.	CGS	16/07/2009	NCR applied to the board
55	NCR-PDS-CGS-C-052	The component C197 have wrong footprint on master p/n: 11-AMS02PDS-500.00 s/n: 01, 02	m	1	13/05/2008	N.A.	CGS	16/07/2009	NCR applied to the board
56	NCR-PDS-CGS-C-053	PB2 excessive consumption on the auxiliary 15V supply p/n: 11-AMS02PDS-700.00 s/n: 02	m	1	15/05/2008	N.A.	CGS	30/09/2008	NCR applied to the board
57	NCR-PDS-CGS-C-054	PB2 inrush MOSFETs failure p/n: 11-AMS02PDS-700.00 s/n: 01	m	1	20/05/2008	N.A.	CGS	29/09/2008	NCR applied to the board
58	NCR-PDS-CGS-C-056	Mechanical assembly problem p/n: 11-AMS02PDS-200.14 s/n: N.A.	m	1	23/05/2008	N.A.	CGS	21/07/2008	NCR applied to the board
59	NCR-PDS-CGS-C-057	Lifted pad on Aux DC/DC Board p/n: 11-AMS02PDS-740.00 s/n: 07-014 / A	m	1	28/05/2008	N.A.	CGS	29/05/2008	NCR applied to the board
60	NCR-PDS-CGS-C-058	Output voltage wrong value on Esem 1-A Board p/n:11-AMS02PDS-600.00 s/n:01	m	1	29/05/2008	N.A.	CGS	30/09/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
61	NCR-PDS-CGS-C-059	Output voltage wrong value p/n:11-AMS02PDS-600.00 s/n:02	m	1	03/06/2008	N.A.	CGS	30/09/2008	NCR applied to the board
62	NCR-PDS-CGS-C-060	AUX DCDC OVC protection p/n: 11-AMS02PDS-740.00 s/n: 07-015 / G	m	1	03/06/2008	N.A.	CGS	14/07/2008	NCR applied to the board
63	NCR-PDS-CGS-C-061	Demaged pad and pcb on ESEM 1-A Board Assy p/n: 11-AMS02PDS-600.00 s/n: 02	m	1	06/06/2008	N.A.	CGS	09/06/2008	NCR applied to the board
64	NCR-PDS-CGS-C-062	Invalid input range on AN_DATA3 telemetry input p/n: 11-AMS02PDS-500.00 s/n: 01	m	1	11/06/2008	N.A.	CGS	29/09/2008	NCR applied to the board
65	NCR-PDS-CGS-C-063	Input stage differential and common mode inductors with wires too short p/n: 11-AMS02PDS-200.00 s/n: 01,02	m	1	11/06/2008	N.A.	CGS	18/06/2008	NCR applied to the board
66	NCR-PDS-CGS-C-064	PDS FM rear panel mechanical error p/n: 10-AMS02PDS-100.02 s/n: N.A.	m	1	11/06/2008	N.A.	CGS	17/07/2008	NCR applied to the mechanical part
67	NCR-PDS-CGS-C-065	IS assy-wrong indication for screws p/n: 11-AMS02PDS-200.00 s/n: 01,02	m	1	17/06/2008	N.A.	CGS	19/09/2008	NCR applied to the board
68	NCR-PDS-CGS-C-066	ESEM 3-A D54 missing connection p/n: 11-AMS02PDS-300.00 s/n: 01,02,03,04,05,06,07,08	m	1	18/06/2008	N.A.	CGS	24/03/2009	NCR applied to the board
69	NCR-PDS-CGS-C-067	Input stage comparator U1 pins 6 and 7 are inverted p/n: 11-AMS02PDS-200.00 s/n: 01	m	1	23/06/2008	N.A.	CGS	21/08/2008	NCR applied to the board
70	NCR-PDS-CGS-C-068	ESEM 1-A over voltage protection p/n: 11-AMS02PDS-610.00 s/n: 07-032/A, 07-032/B	m	1	19/06/2008	N.A.	CGS	01/09/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
71	NCR-PDS-CGS-C-069	PB2 mosfet problem phases inversions p/n: 11-AMS02PDS-700.00 s/n: 03	m	1	24/06/2008	N.A.	CGS	29/09/2008	NCR applied to the board
72	NCR-PDS-CGS-C-070	Connector CN9 polarization key missing p/n: 11-AMS02PDS-100.00 s/n: 01,02	m	1	24/06/2008	N.A.	CGS	04/07/2008	NCR applied to the board
73	NCR-PDS-CGS-C-071	U25 short circuit p/n: 11-AMS02PDS-300.00 s/n: 07	m	1	26/06/2008	N.A.	CGS	29/09/2008	NCR applied to the board
74	NCR-PDS-CGS-C-072	U3 power supply p/n: 11-AMS02PDS-300.00 s/n: 01, 07	m	1	26/06/2008	N.A.	CGS	24/03/2009	NCR applied to the board
75	NCR-PDS-CGS-C-073	Short circuit between "sec_pwr_line" signal (PIN 108) and mechanical upper frame p/n: 11-AMS02PDS-600.00 s/n: 01, 02	m	1	27/06/2008	N.A.	CGS	30/09/2008	NCR applied to the board
76	NCR-PDS-CGS-C-074	Input stage filtering of U2A negative input p/n: 11-AMS02PDS-200.00 s/n: 01, 02	m	1	30/06/2008	N.A.	CGS	21/08/2008	NCR applied to the board
77	NCR-PDS-CGS-C-075	Increase of input stage inrush current capacitance p/n: 11-AMS02PDS-200.00 s/n: 01, 02	m	1	30/06/2008	N.A.	CGS	21/08/2008	NCR applied to the board
78	NCR-PDS-CGS-C-076	Net missing in FM schematics p/n: 11-AMS02PDS-200.00 s/n: 01, 02	m	1	30/06/2008	N.A.	CGS	21/08/2008	NCR applied to the board
79	NCR-PDS-CGS-C-077	Input stage: addiction of zener diode in input voltage telemetry circuit p/n: 11-AMS02PDS-200.00 s/n: 01, 02	m	1	30/06/2008	N.A.	CGS	21/08/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
80	NCR-PDS-CGS-C-078	ESEM 3-A U3 supply p/n: 11-AMS02PDS-300.00 s/n: 02,03,04,05,06,08	m	1	03/07/2008	N.A.	CGS	24/03/2009	NCR applied to the board
81	NCR-PDS-CGS-C-079	Input stage components pins damaged p/n: 11-AMS02PDS-200.00 s/n: 02	m	1	07/07/2008	N.A.	CGS	07/07/2008	NCR applied to the board
82	NCR-PDS-CGS-C-080	ESEM 3-A outlets status p/n: 11-AMS02PDS-300.00 s/n: 01	m	1	07/07/2008	N.A.	CGS	24/03/2009	NCR applied to the board
83	NCR-PDS-CGS-C-081	PB2 FPGA pull up for signal I/F p/n:11-AMS02PDS-710.00 s/n:07-038/A ;07-038/B	m	1	07/07/2008	N.A.	CGS	29/09/2008	NCR applied to the board
84	NCR-PDS-CGS-C-082	ESEM 3-A outlets status p/n: 11-AMS02PDS-300.00 s/n: 02, 03, 04, 05, 06, 07, 08	m	1	09/07/2008	N.A.	CGS	24/03/2009	NCR applied to the board
85	NCR-PDS-CGS-C-083	Esem 1-A Piggy pull down for signal I/F p/n:11-AMS02PDS-610.00 s/n:07-032/A, 07-032/B	m	1	09/07/2008	N.A.	CGS	30/09/2008	NCR applied to the board
86	NCR-PDS-CGS-C-084	ESEM 3-A pull down for signal I/F p/n: 11-AMS02PDS-300.00 s/n: 01,02,03,04,05,06,07,08	m	1	10/07/2008	N.A.	CGS	17/03/2009	NCR applied to the board
87	NCR-PDS-CGS-C-085	ESEM 3-A pull down for signal I/F p/n: 11-AMS02PDS-400.00 s/n: 01,02	m	1	10/07/2008	N.A.	CGS	03/09/2008	NCR applied to the board
88	NCR-PDS-CGS-C-086	PB2 FPGA Board pull down MUX p/n: 11-AMS02PDS-400.00 s/n: 07-038/C,07-038/D,07-038/E,07-038/F,07-038/G,07-038/H	m	1	10/07/2008	N.A.	CGS	11/09/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
89	NCR-PDS-CGS-C-087	PB2 s/n 05 FPGA Failure p/n: 11-AMS02PDS-710.00 s/n: 07-038/E	m	1	17/07/2008	N.A.	CGS	21/07/2008	NCR applied to the board
90	NCR-PDS-CGS-C-088	PB2 and PB2 FPGA Boards temperature telemetry trimming p/n: 11-AMS02PDS-700.00 s/n: 01,02 p/n: 11-AMS02PDS-710.00 s/n: 07-038/A, 07-038/B	m	1	16/07/2008	N.A.	CGS	30/09/2008	NCR applied to the board
91	NCR-PDS-CGS-C-089	PB2 sn03 demage track p/n: 11-AMS02PDS-700.00 s/n: 03	m	1	17/07/2008	N.A.	CGS	17/07/2008	NCR applied to the board
92	NCR-PDS-CGS-C-090	Reverse curent is out of limits p/n: 11-AMS02PDS-200.00 s/n: 01	m	1	18/07/2008	N.A.	CGS	26/09/2008	NCR applied to the board
93	NCR-PDS-CGS-C-091	PB2 s/n 08 high consumption from 15V aux power supply p/n: 11-AMS02PDS-700.00 s/n: 08	m	1	15/07/2008	N.A.	CGS	11/11/2008	NCR applied to the board
94	NCR-PDS-CGS-C-092	To reduce the dissipation two resistors must be added in input current telemetry on Input Stage Board p/n: 11-AMS02PDS-200.00 s/n: 01,02	m	1	21/07/2008	N.A.	CGS	21/08/2008	NCR applied to the board
95	NCR-PDS-CGS-C-093	ESEM 3-A Power supply current consumption p/n: 11-AMS02PDS-300.00 s/n: 03	m	1	18/07/2008	N.A.	CGS	30/09/2008	NCR applied to the board
96	NCR-PDS-CGS-C-094	Esem 3A enable signal not correct p/n: 11-AMS02PDS-300.00 s/n: 01	m	1	23/07/2008	N.A.	CGS	24/07/2008	NCR applied to the board
97	NCR-PDS-CGS-C-095	Esem 1A failure, the voltage output of power cell DC_DC_1 is equal to zero p/n: 11-AMS02PDS-600.00 s/n: 02	m	1	25/07/2008	N.A.	CGS	30/09/2008	NCR applied to the board
98	NCR-PDS-CGS-C-096	ESEM 3-A Power supply current consumption p/n: 11-AMS02PDS-300.00 s/n: 03	m	1	29/07/2008	N.A.	CGS	16/03/2009	NCR applied to the board
99	NCR-PDS-CGS-C-097	Reverse curent is out of limits p/n: 11-AMS02PDS-200.00 s/n: 02	m	1	29/07/2008	N.A.	CGS	26/09/2008	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
100	NCR-PDS-CGS-C-098	Electronic Assembly problem p/n: 11-AMS02PDS-210.00 s/n: A1-1A, A1-1B	m	1	29/07/2008	N.A.	CGS	26/09/2008	NCR applied to the board
101	NCR-PDS-CGS-C-099	ESEM 1-A PIGGY strobe signal shape p/n: 11-AMS02PDS-610.00 s/n: 07-032/A	m	1	29/07/2008	N.A.	CGS	17/07/2009	NCR applied to the board
102	NCR-PDS-CGS-C-100	Additional of resistor and zender diode in current monitor circuit on Input Stage p/n: 11-AMS02PDS-200.00 s/n: 01,02	m	1	30/07/2008	N.A.	CGS	21/08/2008	NCR applied to the board
103	NCR-PDS-CGS-C-101	PB2 Fpga Strobe signal shape p/n: 11-AMS02PDS-710.00 s/n: 07-038/A, 07-038/B, 07-038/C,07-038/D,07-038/F,07-038/G	m	1	30/07/2008	N.A.	CGS	17/07/2009	NCR applied to the board
104	NCR-PDS-CGS-C-102	ESEM 3-A DC-DC Synch out signal non conformance level p/n: 11-AMS02PDS-300.00 s/n: 05	m	1	31/07/2008	N.A.	CGS	30/09/2008	NCR applied to the board
105	NCR-PDS-CGS-C-103	ESEM 3-A outlet 7 doesn't sw on p/n: 11-AMS02PDS-300.00 s/n: 06	m	1	31/07/2008	N.A.	CGS	06/11/2008	NCR applied to the board
106	NCR-PDS-CGS-C-104	ESEM 3-A current telemetry outlet 1 and 4 out of spec p/n: 11-AMS02PDS-300.00 s/n: 06	m	1	06/08/2008	N.A.	CGS	30/09/2008	NCR applied to the board
107	NCR-PDS-CGS-C-105	Schmitt Trigger Inverter damaged p/n: 11-AMS02PDS-710.00 s/n: 07-038/H	m	1	07/08/2008	N.A.	CGS	10/09/2008	NCR applied to the board
108	NCR-PDS-CGS-C-106	U12 Comparator Histeresis p/n: 11-AMS02PDS-400.00 s/n: 01	m	1	21/08/2008	N.A.	CGS	15/04/2009	NCR applied to the board
109	NCR-PDS-CGS-C-107	Esem 3-A s/n5 - Current telemetry outlet don't work p/n: 11-AMS02PDS-300.00 s/n: 05	m	1	26/08/2008	N.A.	CGS	29/09/2008	NCR applied to the board
110	NCR-PDS-CGS-C-108	U12 Comparator Histeresis p/n: 11-AMS02PDS-400.00 s/n: 02	m	1	26/08/2008	N.A.	CGS	10/11/2008	NCR applied to the board
111	NCR-PDS-CGS-C-109	Outlets status filtering p/n: 11-AMS02PDS-400.00 s/n: 02	m	1	28/08/2008	N.A.	CGS	15/04/2009	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
112	NCR-PDS-CGS-C-110	Outlet 4 status malfunctioning p/n: 11-AMS02PDS-400.00 s/n: 02	m	1	03/09/2008	N.A.	CGS	03/09/2008	NCR applied to the board
113	NCR-PDS-CGS-C-111	Input stage common mode filter malfunction p/n: 11-AMS02PDS-200.00 s/n: 01,02	m	1	08/09/2008	N.A.	CGS	22/09/2008	NCR applied to the board
114	NCR-PDS-CGS-C-112	CN1 pin 126 broken p/n: 11-AMS02PDS-400.00 s/n: 01	m	1	10/09/2008	N.A.	CGS	30/09/2008	NCR applied to the board
115	NCR-PDS-CGS-C-113	Esem 3-A s/n4 - Current telemetry outlet don't work p/n: 11-AMS02PDS-300.00 s/n: 04	m	1	09/09/2008	N.A.	CGS	29/09/2008	NCR applied to the board
116	NCR-PDS-CGS-C-114	Esem 3-A s/n 04 - Vtrip and all Vref present anomalous values p/n: 11-AMS02PDS-300.00 s/n: 04	m	1	10/09/2008	N.A.	CGS	29/09/2008	NCR applied to the board
117	NCR-PDS-CGS-C-115	Esem 3-A s/n 06 - Current telemetry outlet don't work p/n: 11-AMS02PDS-300.00 s/n: 06	m	1	17/09/2008	N.A.	CGS	29/09/2008	NCR applied to the board
118	NCR-PDS-CGS-C-116	PDS thermistors data code expired p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	24/09/2008	N.A.	CGS	29/09/2008	NCR applied to the component
119	NCR-PDS-CGS-C-117	PDS assembly integration problems p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	24/09/2008	N.A.	CGS	16/07/2009	NCR applied to the unit
120	NCR-PDS-CGS-C-118	PDS ECCOBOND 285 catalyst variation p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	25/09/2008	N.A.	CGS	17/07/2009	NCR applied to the unit
121	NCR-PDS-CGS-C-119	ESEM 1-A PIGGY telemetries mux malfunction p/n: 10-AMS02PDS-610.00 s/n: 07-032/A, 07-032/B	m	1	10/10/2008	N.A.	CGS	17/07/2009	NCR applied to the board
122	NCR-PDS-CGS-C-120	CAN BUS BOARD sw failure during first request command p/n: 11-AMS02PDS-500.00 s/n: 01, 02	M	1	17/10/2008	N.A.	CGS	06/04/2009	NCR applied to the board
123	NCR-PDS-CGS-C-121	ESEM 1-A PIGGY MUX power supply p/n: 11-AMS02PDS-600.00 s/n: 07-032/A	m	1	21/10/2008	N.A.	CGS	17/07/2009	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
124	NCR-PDS-CGS-C-122	ESEM 1-A PIGGY MUX power supply p/n: 11-AMS02PDS-610.00 s/n: 07-032/B	m	1	22/10/2008	N.A.	CGS	13/11/2008	NCR applied to the board
125	NCR-PDS-CGS-C-123	ESEM 1-A PIGGY S/N 01 over voltage protection p/n: 11-AMS02PDS-610.00 s/n: 07-032/A	m	1	23/10/2008	N.A.	CGS	16/07/2009	NCR applied to the board
126	NCR-PDS-CGS-C-124	ESEM 1-A PIGGY S/N 02 over voltage protection p/n: 11-AMS02PDS-610.00 s/n: 07-032/B	m	1	28/10/2008	N.A.	CGS	10/11/2008	NCR applied to the board
127	NCR-PDS-CGS-C-125	Error in Input Current Telemetry p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	20/11/2008	N.A.	CGS	27/04/2009	NCR applied to the unit
128	NCR-PDS-CGS-C-126	PB2 thermal problems p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	09/12/2008	N.A.	CGS	17/07/2009	NCR applied to the unit
129	NCR-PDS-CGS-C-127	Can Bus Interface on/off command problem at cold temperature p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	09/12/2008	N.A.	CGS	27/04/2009	NCR applied to the unit
130	NCR-PDS-CGS-C-128	Can BUS 01/02 CPU_RST command p/n: 11-AMS02PDS-500.00 s/n: 01,02	M	1	18/12/2008	N.A.	CGS	06/04/2009	NCR applied to the board
131	NCR-PDS-CGS-C-129	Can BUS 01/02 unwanted switch off p/n: 11-AMS02PDS-500.00 s/n: 01,02	M	1	20/01/2009	N.A.	CGS	06/04/2009	NCR applied to the board
132	NCR-PDS-CGS-C-130	Demage pad (test point TP27) on Esem 3-A Board Assy p/n: 11-AMS02PDS-300.00 s/n: 01	m	1	17/03/2009	N.A.	CGS	18/03/2009	NCR applied to the board
133	NCR-PDS-CGS-C-131	PDS input voltage telemetry p/n: 10-AMS02PDS-000.00 s/n: FM01	M	1	18/03/2009	N.A.	CGS	20/04/2009	NCR applied to the unit
134	NCR-PDS-CGS-C-132	PDS input current telemetry p/n: 10-AMS02PDS-000.00 s/n: FM01	M	1	18/03/2009	PDS-WV-CGS-002	CGS	11/05/2009	NCR applied to the unit
135	NCR-PDS-CGS-C-133	ESEM 3-A over current protection p/n: 10-AMS02PDS-000.00 s/n: FM01	M	1	19/03/2009	PDS-WV-CGS-001	CGS	23/04/2009	NCR applied to the unit
136	NCR-PDS-CGS-C-134	Default-on heater lines configuration p/n: 11-AMS02PDS-400.00 s/n: 01,02	m	1	24/03/2009	N.A.	CGS	14/04/2009	NCR applied to the board

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.

NON CONFORMANCES LIST

SEQ. N°	NCR IDENTIFICATION NUMBER	DESCRIPTION/TITLE	Major(M) Minor(m)	ISSUE - DATE		RFW REF.IDENTIFICATION	ORIGINATOR	CLOSE OUT DATE	REMARKS
137	NCR-PDS-CGS-C-135	ESEM 1-A SN 01 and 02 driver transformer change p/n: 11-AMS02PDS-600.00 s/n: 01, 02	m	1	16/04/2009	N.A.	CGS	17/07/2009	NCR applied to the board
138	NCR-PDS-CGS-C-136	Magnetic components criticality p/n: 11-AMS02PDS-000.00 s/n: FM01	M	1	05/05/2009	N.A.	CGS	31/07/2009	NCR applied to the unit
139	NCR-PDS-CGS-C-137	Motherboard Mid Frame Assy reworked p/n:10-AMS02PDS-500.00 s/n:01	M	1	21/07/2009	N.A.	CGS	31/07/2009	NCR applied to the unit
140	NCR-PDS-CGS-C-138	PDS TV TEST: TEMPERATURE ACQUISITION SYSTEM SYSTEMATIC ERROR p/n: 10-AMS02PDS-000.00 s/n: FM01	m	1	27/08/2009	N.A.	CGS	21/09/2009	NCR applied to the TV test equipment
141	NCR-PDS-CGS-C-139	Unwanted SIDE A PB2-3 switch OFF during HOT temperature TV cycling p/n: 11-AMS02PDS-700.00 s/n: 04	M	1	01/09/2009	PDS-WV-CGS-005	CGS	29/09/2009	NCR applied to the unit
142	NCR-PDS-CGS-C-140	Side A Esem 3-A-3 trip out of tolerance during HOT temperature TV cycling p/n: 11-AMS02PDS-300.00 s/n: 04	M	1	14/09/2009	N.A.	CGS	30/09/2009	NCR applied to the unit
143	NCR-PDS-CGS-C-141	PDS mass out of specified value p/n: 10-AMS02PDS-000.00 s/n: FM01	M	1	15/09/2009	PDS-WV-CGS-003	CGS	29/09/2009	NCR applied to the unit
144	NCR-PDS-CGS-C-142	PDS radiated E-field emissions out of specified limits p/n: 10-AMS02PDS-000.00 s/n: FM01	M	1	16/09/2009	PDS-WV-CGS-004	CGS	30/09/2009	NCR applied to the unit

All information contained in this document are property of CARLO GAVAZZI SPACE SpA. All rights reserved.